

Report Number

广州市微生物研究所 GUANG ZHOU INSTITUTE OF MICROBIOLOGY 广州工业微生物检测中心

GUANG ZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY

检测报告

TEST REPORT

Name of Sample

Airfree Air Sterilizer

Jebsen Consumer Products (China)

Applicant Applicant

Company Limited

KJ20181786







GUANG ZHOU INSTITUTE OF MICROBIOLOGY GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY TEST REPORT

Date Received: Oct. 15, 2018

<u> </u>	V	Date Ana	lyzed: Oct. 19, 201				
Name of Sample	Airfree Air Sterilizer	Source of Sample	Delivery				
Applicant	Jebsen Consumer Products (China) Company Limited	Client	Lao Yanyi				
Manufacturer	Airfree Produtos Electronicos, S.A.,	Brand	AirFree				
Type and Specification	P80	Quantity of Sample	1PC				
Date of Production		State of Sample	Machine				
Batch Number		Packing of Sample	In box				
Sample Picture		nicros					
0							
Standard and Methods	 GB/T 18801-2015 Air cleaner GB 21551.3-2010 Antibacterial and electrical appliances-Particular requirements 		ousehold and simila				
Items of Analysis	 Eliminating Bacterial Rate (Staphylococcus albus 8032) Input Power 						
Remarks	(10)		green after the				

To be continued







GUANG ZHOU INSTITUTE OF MICROBIOLOGY

GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY TEST REPORT

Date Received: Oct. 15, 2018 Date Analyzed: Oct. 19, 2018

Test Method for Air Purifier Disinfection Performance:

- 1. Test Equipment
 - 1) Strain: Staphylococcus albus
 - 2) Microbial aerosol generator: TK-3
 - 3) Culture media: NA
 - 4) Sampling equipment: six-stage sieve sampler
- 2. Test Conditions
 - 1) The volume of the test chamber: 3 m³
 - 2) Environment temperature: (20~25) °C
 - 3) Environment humidity: (50~70) %RH
- 3. Operation Conditions of the Air Purifier The test process was electrified.
- 4. Test Procedure
 - 1) Get a bacteria slant culture (4~7 generation) which is incubated at 37 °C for 24 h, wash the culture from this slant with 10 mL NB, filter the liquid culture by aseptic cotton buds, and dilute this inoculums with NB as appropriate.
 - 2) The equipments are placed in the test chambers, close the door, and turn on the HEPA filter system. Simultaneously operate the environmental control devices until the temperature reaches 20 °C~25 °C, relative humidity reaches 50-70%. Turn off the chamber environmental control system.
 - Release microbial aerosol: turn on the microbial aerosol generator, then turn on the ceiling fan, turn off the fan after 10 min, and let stand for 15 min.
 - 4) Original bacteria aerosols collected by six-stage sieve sampler.
 - 5) Turn on the fan during the test. The air purifier are adjusted to the highest air cleaning mode setting for test (test group). Bacteria aerosols (control group and test group) are collected at 60 min.
 - 6) Choose 2 NA plates (the same batch) as the negative control, and culture them on the same condition with the samples.
 - 7) Run the test three times and take the mean as the final result.
- 5. Computational Formula

Natural decay rate
$$N_t(\%) = \frac{V_0 - V_t}{V_0} \times 100$$

Where: V_0 = original bacteria count of control group; V_t = bacteria count after treatment of control group.

Killing Rate
$$K_t(\%) = \frac{V_1 \times (1 - N_t) - V_2}{V_1 \times (1 - N_t)} \times 100$$

Where: V_1 = original bacteria count of test group; V_2 = bacteria count after treatment of test group. ***To be continued***







GUANG ZHOU INSTITUTE OF MICROBIOLOGY GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY TEST REPORT

Date Received: Oct. 15, 2018 Date Analyzed: Oct. 19, 2018

Test Results

Number of Sample	Test Strain	Test Time (min)		Control Group		Test Group		-	
			Test Number	Original Bacteria Count V_0 (cfu/m ³)	Bacteria Count after Treatment V_t (cfu/m ³)	Natural Decay Rate N _t (%)	Original Bacteria Count V 1 (cfu/m³)	Bacteria Count after Treatment V ₂ (cfu/m ³)	Killing Rate K_t (%)
KJ20181786-1	Staphylococcus albus	60 -	1	1.44×10^{5}	1.02×10^{5}	29.17	1.42×10^{5}	8.59×10^3	91.46
			2	1.48×10 ⁵	1.07×10 ⁵	27.70	1.46×10 ⁵	9.33×10^{3}	91.16
			3	1.47×10 ⁵	1.03×10^{5}	29.93	1.39×10 ⁵	7.74×10^3	92.05
			Mean	0.00		3			91.56

To be continued







GUANG ZHOU INSTITUTE OF MICROBIOLOGY GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY **TEST REPORT**

Date Received: Oct. 15, 2018 Date Analyzed: Oct. 19, 2018

Measuring of Power:

- Test Equipment Power measuring instrument
- **Test Conditions** 2.
 - 1) Environment temperature: 23.8 °C
 - 2) Environment humidity: 54%RH.
- Operational Conditions of the Machine
- The test process was electrified. Test Procedure

Connecting the power and air purifier by power tester, stable under rated condition for at least 30 min after testing the input power.

Test Results

Input Power (W) Number of Sample KJ20181786-1 42.3

End of report

Date Reported











Statements

- 1. The report would be invalid under the following conditions: altered, added, deleted, copied, without the special seal for inspection or signtures by approver.
- 2. For the received sample, the sample information in the report is claimed by the applicant, the inspection unit is not responsible for its authenticity. The report is responsibility for the received sample only.
- 3. If there is any objection to the inspection report, it should be presented to the inspection unit within 15 working days from the issuance date, otherwise the report shall be deemed as having been accepted. Microbiological item is not subjected to the detection and the name of the inspection unit shall not be used for product labels, advertisements, awards and merchandise publicity.
- 5. The items marked with "*" in the report are not accredited by CNAS or CMA, The items marked with "#" are not accredited by CNAS, The items marked with "+" are not accredited by CMA.
- 6. The test data and results of items which are not accredited by CMA, only used as scientific research, teaching or internal quality control.
- 7. Any ambiguity by the language which used in the report, the Chinese shall prevail

Contact Address, I Jiantashan Road, Huangpu District, Guangzhou City, Guangdong Province
Test Address, (only fill in when it's different from the contact address)

Postal Code, 510663

Tel., (8620)61302671

URL, http://www.ggtest.com.cn